



# Конфорки

# 2

square & rectangular.....	200
round.....	201
accessories.....	201



# Конфорки

## square & rectangular

### with radiused edge



pos.		dimensions (mm)	P (W)	volt. (V)	connections	suitable for	Ref. No.
1	490065	220x220	2000	230	4	EGO EGO	11.22473.232 11.22473.234
2	490067	220x220	2000	400	4	EGO EGO	11.22473.231 11.22473.235
3	490066 <sup>1</sup>	220x220	2600	230	4	EGO EGO	11.22454.232 11.22454.237
4	490068 <sup>1</sup>	220x220	2600	400	4	EGO EGO	11.22454.231 11.22454.238
5	490176 <sup>1</sup>	220x220	2600	440	4	EGO	11.22454.264
6	490054 <sup>1</sup>	300x300	2500	230	4	EGO EGO	11.33454.252 11.33473.238
7	490128 <sup>1</sup>	300x300	2500	400	4	EGO EGO	11.33454.251 11.33473.231
8	490056 <sup>1</sup>	300x300	3000	230	4	EGO EGO	11.33454.235 11.33454.247
9	490070	300x300	3000	230	4	EGO EGO	11.33473.235 11.33473.239
10	490057 <sup>1</sup>	300x300	3000	400	4	EGO EGO EGO EGO	11.33454.231 11.33454.234 11.33454.248 11.33473.338
11	490073	300x300	3000	400	4	EGO EGO	11.33473.234 11.33473.338
12	490177	300x300	3000	440	4	EGO	11.33454.335
13	490141 <sup>1</sup>	300x300	3500	230	4	EGO	11.33454.242
14	490071 <sup>1</sup>	300x300	4000	230	4	EGO EGO EGO	11.33454.238 11.33454.239 11.33454.246
15	490074 <sup>1</sup>	300x300	4000	400	4	EGO EGO	11.33454.237 11.33454.249
16	490194 <sup>1</sup>	300x300	4000	440		EGO	11.33454.336

<sup>1</sup>incl. protector

### with bearing edge



pos.		dimensions (mm)	P (W)	volt. (V)	connection	suitable for	Ref. No.
1	490110	348x271	4000	400	4 screw clamps	EGO	11.32461.201
2	490178	400x400	5000	400		EGO	11.44870.001

### with cast edge

### with screw connection



pos.		dimensions (mm)	P (W)	volt. (V)	suitable for	Ref. No.
1	490078	300x300	3000	400	EGO EGO EGO	11.33350.507 11.33460.197 11.33470.195
2	490162	300x300	4000	230	EGO EGO	11.33460.192 11.33460.194
3	490161	300x300	4000	400	EGO	11.33460.195
4	490173	560x285	2x3000	230	EGO	11.52879.112

### with contact plug



pos.		dimensions (mm)	P (W)	volt. (V)	suitable for	Ref. No.
1	490075	300x300	2500	230	EGO EGO	11.33310.002 11.33310.009
2	490076	300x300	2500	400	EGO EGO	11.33310.001 11.33310.008

### tiltable



pos.		dimensions (mm)	P (W)	volt. (V)	connection	suitable for	Ref. No.
1	490085	300x300	2500	230	3 screw clamps	EGO EGO	11.33370.242 11.33370.247
2	490086	300x300	2500	400	3 screw clamps	EGO EGO	11.33370.241 11.33370.246
3	490088	300x300	2500	400	4 screw clamps	EGO EGO	11.33460.301 11.33460.349
4	490090	300x300	4000	400	4 screw clamps	EGO EGO EGO	11.33460.307 11.33460.318 11.33460.341

### miscellaneous



fig.		dimensions (mm)	P (W)	volt. (V)	connection	suitable for	Ref. No.
1	490165	350x400	4000	400	2x3	—	—
2	490199	560x240		240	cable	—	—



**round**  
with radiused edge  
for domestic kitchens



pos.	ø (mm)	P (W)	volt. (V)	version	suitable for	Ref. No.
1	490001	145	1000	230	EGO EGO EGO	13.14453.002 13.14453.020 13.14453.040
2	490004	145	1500	230	with protector EGO EGO EGO	13.14454.040 13.14463.020 13.14463.040 13.14474.040
3	490002	180	1500	230	EGO EGO EGO	13.18453.002 13.18453.020 13.18453.040
4	490006	180	2000	230	with protector EGO EGO EGO	13.18454.040 13.18463.020 13.18463.040 13.18474.040
5	490003	220	2000	230	EGO EGO	13.22453.002 13.22453.040

for domestic and commercial kitchens



pos.	ø (mm)	P (W)	volt. (V)	connection	suitable for	Ref. No.
1	416191	90	450	230	3 screw clamps EGO	12.08353.017
2	490010	145	1000	230	4 screw clamps EGO EGO EGO	12.14423.022 12.14453.002 12.14453.022 12.14453.194
3	490012	145	1500	230	4 screw clamps EGO EGO	12.14463.196 12.14474.040
4	490013	145	1500	400	4 screw clamps EGO EGO	12.14463.021 12.14463.197
5	490014	180	1500	230	4 screw clamps EGO EGO EGO	12.18453.002 12.18453.022 12.18453.196
6	490129	180	1500	230	4 screw clamps EGO EGO	12.18474.002 12.18474.140
7	490015	180	1500	400	4 screw clamps EGO EGO EGO	12.18453.001 12.18453.021 12.18453.025
8	490016	180	2000	230	4 screw clamps EGO EGO	12.18463.022 12.18463.194
9	490058	180	2000	240	EGO	12.18463.183
10	490017	180	2000	400	4 screw clamps EGO EGO	12.18463.021 12.18463.198
11	490183	190	1500	240	4 screw clamps EGO EGO	12.18474.003 12.18474.130
12	490018	220	2000	230	4 screw clamps EGO EGO EGO	12.22453.002 12.22453.022 12.22453.199

pos.	ø (mm)	P (W)	volt. (V)	connection	suitable for	Ref. No.
13	490130	220	2000	230	4 screw clamps EGO EGO	12.22474.002 12.22474.140
14	490019	220	2000	400	4 screw clamps EGO EGO EGO	12.22453.001 12.22453.021 12.22453.025
15	490174	220	2000	440	EGO EGO	12.22453.018 12.22453.804
16	490020	220	2600	230	4 screw clamps EGO EGO EGO	12.22463.012 12.22463.018 12.22474.020
17	490021	220	2600	400	4 screw clamps EGO EGO EGO EGO	12.22463.011 12.22463.017 12.22463.019 12.22474.010
18	490175	220	2600	440	4 screw clamps EGO	12.22463.014
19	490061	300	2500	230	4 screw clamps EGO EGO	12.30453.002 12.30453.194
20	490063	300	2500	400	4 screw clamps EGO	12.30453.195
21	490062	300	3500	220	4 screw clamps EGO EGO	12.30454.005 12.30454.194
22	490064	300	3500	400	EGO	12.30454.195

with cast brim  
with screw connection



pos.	ø (mm)	P (W)	volt. (V)	connection	suitable for
1	490106	400	5000	400	2x 3 screw clamps Blumauer EGO Mareno
2	490107	400	5000	400	4x 2 screw clamps EGO EGO Heidebrenner

ring shaped



fig.	ø (mm)	P (W)	volt. (V)	
1	490022	145	1000	230

accessories

fasteners



fig.	description
1	550796 fixing plate for hot plate ø220mm

hot plates



adapters for contact pin



1

fig.	description
1	550127 power socket contacts 3+1 control 4-position

hot plates  
2