



Прессостаты, реле давления

22

| | |
|--------------------------|-----|
| for warewashing..... | 674 |
| for coffee machines..... | 677 |
| for gas equipment..... | 678 |
| for steam control..... | 679 |
| for combi-steamers..... | 680 |
| for pasta cookers..... | 680 |
| for refrigeration..... | 680 |



Прессостаты

for warewashing

ø 45mm with male faston 6.3mm

with connection horizontal



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|--------------|----------|
| 1 | 541014 | 6mm | Palux | 234125 |

with connection vertical



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|--------------|----------|
| 1 | 543016 | 6mm | Winterhalter | 3126009 |
| 1 | 543019 | 6mm | Winterhalter | 3126020 |
| 1 | 541067 | 6mm | — | — |
| 2 | 543021 | 6mm | Winterhalter | 3126029 |
| 2 | 543017 | 6mm | Winterhalter | 3126003 |
| 2 | 543018 | 6mm | Winterhalter | 3126035 |
| 2 | 543020 | 6mm | Winterhalter | 80003155 |

ø 58mm with male faston 6.3mm

with connection horizontal



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|--|---|
| 1 | 541832 | 6mm | Fagor | 12023856 |
| 1 | 541045 | 6mm | GAM Hoonved Krupps Rosinox | KR103383 31171 103383 RX94801289 |
| 1 | 541864 | 6mm | Fagor | 12023803 |
| 1 | 541569 | 6mm | Jemi | 2007001 |
| 1 | 541001 | 6mm | Colged Cookmax Elettrobar Mach Rancilio Silanos | 224004 224004 224004 500042700 65224004 905264 |
| 1 | 543014 | 6mm | — | — |
| 1 | 541866 | 6mm | Colged Elettrobar | 224016 224016 |
| 1 | 541302 | 6mm | Electrolux Fagor Sammic | 0KZ785 12023802 2302815 |

| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|--|--|
| 1 | 541132 | 6mm | ATA | 6850 |
| 1 | 541017 | 6mm | Adler Angelo-Po Bonnet Electrolux Elettrobar Hoonved Rosinox Silanos | 20053 32Z8930 901300 070324 69850 25433 RX94801461 905270 |
| 1 | 541039 | 6mm | Bonnet Comenda Hoonved Mareno | 2002189h 130621 H130621 130621 |
| 1 | 541046 | 6mm | Lasa Mareno | 3283010 1037302800 |
| 1 | 541314 | 6mm | Angelo-Po Dihl Electrolux Elframo Komel Kromo | 32V7060 DW10706/A 046503 27100002 27100002 DW10706/A |
| 1 | 541005 | 6mm | Electrolux Zanussi | 046444 046444 |
| 1 | 541889 | 6mm | Omniwash | CEPR |
| 1 | 541010 | 6mm | Angelo-Po Colged Elettrobar Luxia Mareno NuovaSimonelli OEM | 32Z4700 224028 224028 L7106 130605 18000041 EI001 |
| 1 | 541593 | 6mm | Fagor | 12023854 |
| 1 | 541013 | 6mm | Adler Bartscher Bonnet Capic Colged Elettrobar | 20058 0929039 5849E L455210 929039 929039 |
| 1 | 541140 | 6mm | Aristarco ATA Lasa Multi Rosinox Univer-Bar WEGA | 00035110 1004 3281100 130002 RX94807500 4054 WY3DD10706A |
| 1 | 541003 | 6mm | Bartscher Bonnet Capic Colged Cookmax Electrolux Elettrobar GIGA Hobart Krefft Krupps Mareno Palux Rancilio Rosinox Zanussi | 011515 5627E L455225 224003 224003 069434 224003 — 139321-23 62-224003 103380 1662600 349399 65224003 RX94804630 069434 |
| 1 | 541159 | 6mm | Mach | 500000400 |
| 1 | 541006 | 6mm | Electrolux Zanussi | 049485 049485 |
| 1 | 541165 | 6mm | Lamber NuovaSimonelli Omniwash | 0300026 18010422 CEPRE |
| 1 | 541024 | 6mm | Comenda Hoonved Rosinox | 130617 25432 RX94813806 |
| 1 | 541905 | 6mm | Project | PRS06 |
| 1 | 541019 | 6mm | Elframo Elviomex-Alfa Komel | 00005960 003.00.00033 00005960 |
| 1 | 541012 | 6mm | Comenda Mareno | 130604 130604 |

Table continues overleaf




| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|----------|-----------------------|------------|---|---|
| 1 541141 | 75/35 | 6mm | ATA Luxia | 4210 L7109 |
| 1 541631 | 75/45 | 6mm | Comenda Hoonved | 130632 130632 |
| 1 541951 | 75/55 | 6mm | Colged Elettrobar | 224029 224029 |
| 1 541311 | 76/38 | 6mm | Angelo-Po Dihr Kromo Luxia Multi Rosinox | 3220070 DW10300026 DW10300026 L2092 130014 RX94807369 |
| 1 541577 | 83/33 | 6mm | Hemerson Luxia | 131343 L7249 |
| 1 541594 | 85/50 | 6mm | Fagor | 12020076 |
| 1 541959 | 90/30 | 6mm | ATA Omniwash | 9833 CEPR62P |
| 1 541168 | 90/35 | 6mm | Angelo-Po Silanos | 32V1870 905275 |
| 1 541299 | 95/75 | 6mm | Fagor | 12023805 |
| 1 541842 | 100/40 | 6mm | Lamber | 0301503 |
| 1 541008 | 105/60 | 6mm | Electrolux Zanussi | 046601 046601 |
| 1 541911 | 108/78 | 6mm | Jemi | 2007004 |
| 1 541011 | 110/70 | 6mm | Comenda Cookmax Hoonved Lamber OEM Rancilio | 130609 224010 130624 0301501 EI002 65224010 |
| 1 541847 | 112/70 | 6mm | GIGA | 776-009-00 |
| 1 541102 | 115/15 | 6mm | Colged Elettrobar | 224006 224006 |
| 1 541647 | 115/85 | 6mm | Elettrobar | 224011 |
| 1 541142 | 123/75 | 6mm | Aristarco ATA Mach | 00000351 9830 500000500 |
| 1 541899 | 125/105 | 6mm | Elettrobar | 224025 |
| 1 541981 | 130/40 | 6mm | Sammic | 2319354 |
| 1 541169 | 160/30 | 6mm | Silanos | 905276 |
| 1 541009 | 160/80 | 6mm | Electrolux Zanussi | 046653 046653 |
| 1 541644 | 160/125 | 6mm | Elettrobar | 224014 |
| 1 541898 | 165/140 | 6mm | Elettrobar | 224023 |
| 1 541776 | 170/95 | 6mm | Fagor | 12023804 |
| 1 541103 | 170/140 | 6mm | Colged Elettrobar Project | 224007 224007 PRS04 |
| 1 541105 | 180/70 | 6mm | Bartscher Bonnet Colged Elettrobar Rosinox | 0926049 5915E DEP45 926049 RX94803426 |
| 1 541975 | 190/60 | 6mm | Dihr Kromo | DW90023 DW90023 |
| 1 541023 | 190/80 | 6mm | Comenda | 130616 |
| 1 541885 | 205/55 | 6mm | Fagor | 12023855 |
| 1 541161 | 205/95 | 6mm | Mach | 500043700 |



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|----------|-----------------------|------------|---|---|
| 1 541778 | 208/178 | 6mm | Colged Elettrobar MBM-Italia Project | 224009 224009 224009 PRS02 |
| 1 541331 | 225/70 | 6mm | Angelo-Po | 32Z0860 |
| 1 541179 | 240/130 | 6mm | Electrolux Zanussi | 048267 048267 |
| 1 541619 | 250/40 | 6mm | Dihr Kromo Rosinox | DW88110 DW88110 RX94807187 |
| 1 541913 | 260/135 | 6mm | Aristarco | 00005594 |
| 1 541830 | 260/230 | 6mm | Mareno Silko | CR0585951 CR0585951 |
| 1 541047 | 340/200 | 6mm | Lasa Mareno | 3283030 1037308700 |
| 1 543024 | 120/95 | F6.3 | Colged Elettrobar | 224026 224026 |
| 1 543025 | 155/130 | F6.3 | Colged Elettrobar | 224027 224027 |
| 2 541326 | 56/25 | 6mm | Rancilio | 34200061 |
| 2 541330 | 70/30 | 6mm | Angelo-Po | 32Z4741 |
| 2 541312 | 86/59 | 6mm | Angelo-Po Dihr Kromo Rosinox | 32V7080 DW75950 DW75950 RX94810911 |
| 2 541106 | 90/56 | 6mm | Colged Elettrobar GIGA Krefft | 224005 224005 — 62-224005 |
| 2 541136 | 100/18 | 6mm | Adler Dihr Kromo | 20192 DW80225 DW80225 |
| 2 541002 | 110/60 | 6mm | Bonnet Colged Cookmax Elettrobar Rancilio Thirode | 2001959H 224002 224002 224002 65224002 2001959H |
| 2 541166 | 140/110 | 6mm | Colged Elettrobar | 224008 224008 |
| 2 541137 | 155/40 | 6mm | Adler Fagor | 20525 12025063 |
| 3 541787 | 90/35 90/35 | 6mm | Silanos | 905285 |

with connection vertical



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|----------|-----------------------|------------|--------------|----------|
| 1 541146 | 40/15 | 6mm | Meiko | 0130026 |
| 1 541050 | 50/30 | 6mm | Meiko | 0130019 |
| 1 541041 | 62/30 | 6mm | Meiko | 0130008 |
| 1 541145 | 90/25 | 6mm | Meiko | 0130027 |



ø 58mm with coded plug



| pos. | | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|--------|-----------------------|------------|--------------------|------------------|
| 1 | 541171 | 110/55 | 6mm | Electrolux Zanussi | 049058 049058 |
| 2 | 541178 | 250/130 390 | 6mm | Electrolux Zanussi | 049620 049620 |
| 3 | 541175 | 60/20-110 | 6mm | Electrolux Zanussi | 049881 049881 |

ø 74mm with male faston 6.3mm



| fig. | | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|--------|-----------------------|------------|--------------|----------|
| 1 | 541072 | 55/35 | 6mm | — | — |
| 1 | 541069 | 85/55 | 6mm | — | — |
| 1 | 541066 | 100/60 | 6mm | — | — |
| 1 | 541068 | 105/75 | 6mm | — | — |
| 1 | 541076 | 120/60 | 6mm | — | — |
| 1 | 541070 | 160/80 | 6mm | — | — |

ø 79mm with coded plug



| fig. | | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|---------------------|-----------------------|------------|--------------|----------|
| 1 | 541319 | 35/20 | 6mm | Hobart | 231981-3 |
| 1 | 541321 | 35/20 80/60 | 6mm | Hobart | 231981-6 |
| 1 | 541318 ¹ | 35/25 80/60 | 6mm | Hobart | 378758-6 |
| 1 | 541320 | 40/25 57/37 125/105 | 6mm | Hobart | 231981-1 |
| 1 | 542136 ¹ | 40/25 57/37 125/105 | 6mm | Hobart | 378758-1 |
| 1 | 542151 | 40/25 57/37 125/105 | 6mm | Hobart | 378760-6 |
| 1 | 541316 ¹ | 40/25 57/42 125/105 | 6mm | Hobart | 378758-4 |
| 1 | 541317 ¹ | 40/25 57/42 125/105 | 6mm | Hobart | 378760-3 |

¹with gold contacts for electronically controlled equipment

| fig. | | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|---------------------|-------------------------|------------|---------------|----------------------|
| 2 | 541782 ¹ | 40/25 92/77 160/140 | 6mm | Ecomax Hobart | 378758-5 378758-5 |
| 1 | 541902 ¹ | 145/120 230/200 280/250 | 6mm | Hobart | 378760-2 |
| 1 | 541904 | 145/120 260/230 385/350 | 6mm | Hobart | 378758-8 |
| 2 | 541874 | 27/12 41/26 | 6mm | Omniwash | CEPR2LE |
| 2 | 541835 | 45/18 65/47 | 6mm | Classeq | 7.12.90 |

ø 84mm with coded plug



| pos. | | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|--------|-----------------------|------------|---------------------------|----------------------------|
| 1 | 541296 | 28/13 65/50 | 6mm | Fagor | 12024981 |
| 2 | 541523 | 40/15 55/35 | 6mm | Electrolux Zanussi | 0E3731 0E3731 |
| 3 | 541645 | 45/18 65/47 | 6mm | Omniwash | CEPRE2LUL |
| 4 | 541176 | 60/20 110/80 | 6mm | Electrolux Morice Zanussi | 049361 RB0655 049361 |
| 5 | 541990 | 62/20 105/25 | 6mm | Jemi | 2007106 |
| 6 | 541177 | 110/55 165/135 | 6mm | Electrolux Zanussi | 049081 049081 |
| 7 | 541592 | 40/15 120/60 150/95 | 6mm | Fagor | 12024269 |
| 8 | 541308 | 50/30 50/30 110/70 | 6mm | Comenda Hoonved | 130628 H130628 |
| 9 | 541674 | 50/30 50/30 160/80 | 6mm | Comenda Hoonved | 130620 H130620 |


73x43mm with coded plug



| fig. | | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|--------|-----------------------|------------|--------------|----------|
| 1 | 541869 | 40/15 | 6mm | Meiko | 9622397 |
| 1 | 541955 | 75/50 | 6mm | LineaBlanca | A030062 |



pressure transmitters



1

technical data:
output voltage 0.5-3.5VDC
input voltage 5VDC

| fig. | pressure range (mbar) | max (mbar) | suitable for | Ref. No. |
|----------|-----------------------|------------|----------------------------------|---|
| 1 541149 | 0-30 | 200 | Dihr Hobart Kromo Meiko | DW540205 775866-1 DW540205 9537961 |
| 1 541786 | 0-50 | 200 | Ecomax Hobart | 775866-2 775866-2 |

miscellaneous



1 2

| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|----------|-----------------------|------------|---------------|------------------------|
| 1 541977 | 200-3000 | 1/4" | Dihr Kromo | DW3060195 DW3060195 |
| 2 541914 | 700 | 1/4" | Aristarco | 00005609 |



3 4 5

| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|----------|-----------------------|------------|---------------|----------------------|
| 3 541677 | - | 15x20mm | Meiko | 9683764 |
| 4 543015 | 0-30 | 6mm | — | — |
| 5 541976 | -10/-20 | M8x1.25 | Dihr Kromo | DW590100 DW590100 |

accessories




1 2

| fig. | description | suitable for | Ref. No. |
|----------|-------------|---|--|
| 1 541598 | bracket | Fagor Colged Comenda Cookmax Electrolux Elettrobar | 12023163 035031 190314 035031 069195 035031 |
| 2 541109 | y-piece | Fagor GIGA Lasa Rancilio | 12023510 — 260032 65035031 |

for coffee machines

Ø 33mm



1

| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|----------|----------------------|------------|--------------|----------|
| 1 541745 | 0.5-1.2 | 1/4" | Pavoni | 451308 |


Ø 35mm



1 2

| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|----------|----------------------|------------|------------------------|------------------|
| 1 541143 | settable 0.2-6.0 | 1/8" | Elektra La Marzocco | 01344035 L271 |
| 2 541676 | 0-4 | 3/8" | Rancilio | 34200288 |

Ø 38mm



1

| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|----------|----------------------|------------|--|----------------------------------|
| 1 541089 | 0.5-1.2 | 1/8" | Astoria Cookmax WEGA | 20155 WY20155 WY20155 |
| 1 568000 | 0.5-1.2 | 1/8" | — | — |
| 1 541020 | 0.5-1.2 | 1/4" | — | — |
| 1 541725 | 0.5-1.2 | 1/4" | Fiorenzato-C.S. Fiorenzato-C.S. Grímac | A2100051 A2100051 A2100051 |

Table continues overleaf



| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|------|----------------------|------------|--|----------------------------------|
| 1 | 0.5-1.5 | 1/4" | Carimali | 96.00210 |
| 1 | 1-2.5 | 1/8" | Brasilia Magister | 09935.2.00.08 180161 |
| 1 | 1-2.5 | 1/4" | Bezzera | 7433002 |
| 1 | 1-2.5 | 1/4" | Bezzera Gaggia | 7433007 5008001000 |
| 1 | 1-2.5 | 1/4" | La-Scala | C-0522 |
| 1 | up to 1.1 | 1/4" | — | — |
| 1 | 1.5-4 | 1/8" | Inoxtrend | C2076-00 |
| 1 | 2-4 | 1/8" | Brasilia | 10598.2.00.08 |
| 2 | 0.5-1.5 | 1/4" | Fiorenzato-C.S. Fiorenzato-C.S. Grimac | A2100305 A2100305 A2100305 |

Ø 45mm

| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|------|----------------------|------------|-----------------|----------------|
| 1 | 0.105/0.075 | 8mm | Animo | 02767 |
| 2 | 0.155/0.125 | 8mm | Cookmax Melitta | 17955 17955 |
| 3 | 0.3/0.5 | 6mm | Bonamat | 6.016.015.005 |

| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|------|----------------------|------------|--------------------|-------------------------------|
| 4 | 0.4/0.36 | 1/4" | Bremer Eloma Palux | 030422 ELE434001 030422 |
| 5 | 0.5 | 10mm | Animo | 03238 |

miscellaneous

| fig. | pressure range (bar) | connection | SC (A) | NP (-pole) | type | suitable for |
|------|----------------------|------------|--------|------------|------|----------------|
| 1 | 0-1 | 1/4" | 16 | 1 | - | Expobar |
| 2 | 0.6 | 1/4" | 16 | 1 | - | NuovaSimonelli |
| 2 | 1.1 | 1/4" | 16 | 1 | - | BFC Royal |

| fig. | pressure range (bar) | connection | SC (A) | NP (-pole) | type | suitable for |
|------|----------------------|------------|--------|------------|-------|---|
| 3 | settable 0.5-1.4 | 1/4" | 30 | 3 | P302 | Azkoyen Bezzera Brasilia Elektra Expobar Faema La Cimbali La Marzocco NuovaSimonelli Rancilio Sirai Vibiemme WEGA |
| 4 | settable 0.5-1.4 | 1/4" | 25 | 3 | PS325 | Bianchi Vending Parker |
| 5 | settable 0.5-1.4 | 1/4" | 20 | 2 | P203 | Sirai |
| 5 | settable 0.5-1.4 | 1/4" | 20 | 3 | P303 | Sirai Vibiemme |

accessories

| fig. | description |
|------|------------------------------|
| 1 | membrane for pressure switch |

for gas equipment


| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|----------------|-----------------------|
| 1 | settable 0.2- 3 | 6mm | Fagor Rational | 12030211 3017.1010 |
| 2 | 0.8/0.6 | 6mm | Electrolux SIT | 006536 0380013 |




| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|--|---|
| 3 | 1.5/1.2 | 6mm | Electrolux SIT Zanussi | 005746 0380072 005746 |
| 3 | 2.7/2.15 | 6mm | Fagor SIT | 12018227 0380047 |
| 4 | settable 5-20 | 1/4" | Ambach Electrolux Gico Juno Lainox SIT Zanussi | 5061309598 002635 6440001 002635 LAR63070010 0360001 002635 |
| 4 | settable 10-50 | 1/4" | Mareno Silko SIT | MA5151000 SIR0102485 0360002 |



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|--------------|----------|
| 5 | 0.17-0.75 | 6.8mm | Zanolli | ELET0641 |
| 6 | 0.2 - 3 | 4.5mm | Dungs | 257843 |



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|-----------------------|------------------|
| 7 | settable 0.5-2.5 | 7.5/10.5mm | Electrolux Zanussi | 003772 003772 |

for steam control



| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|------|----------------------|-------------------|----------------------|--------------------------|
| 1 | 0.2-1 | 1/4" | Honeywell Rosinox | PA404A1025 RX94014891 |
| 2 | 0.2-1.6 | 1/4" IT - 1/2" ET | Honeywell | Fema DWAMV 1 |
| 3 | 0.2-6.0 | 1/4" | Electrolux | 003940 |



| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|------|----------------------|------------|---|--|
| 4 | 0.2-6.0 | 15mm | Electrolux | 0C1126 |
| 5 | settable 0.25-4.5 | 1/4" | Electrolux Juno Malag MKN Palux | OK1396 OK1396 161357 203439 127515 |
| 6 | 0,3/0.5 | 1/4" | Electrolux SIT | 0C4083 0340002 |
| 6 | 0.35/0.51 | 1/8" | Baron Cookmax Kelvin Lainox Olis Rosinox SIT | BN3103630 R63070050 0101395 LAR63070050 BN3103630 RX94814247 0340007 |
| 7 | settable 0.3-0.8 | 1/4" | Alpeninox Cookmax Electrolux Lotus Olis Whirlpool Zanussi | 0A2480 6A022200 0A2480 16994 BN6A022200 202480 0A2480 |



| fig. | pressure range (bar) | connection | suitable for | Ref. No. |
|------|----------------------|------------|---|--|
| 8 | 0.4/0.36 | 1/4" | Bremer Eloma Palux | 030422 ELE434001 030422 |
| 8 | 0.44/0.38 | 1/4" | Electrolux Juno | 0H6696 0H6696 |
| 8 | 0.45/0.3 | 1/4" | Küppersbusch Thielmann | 540416 143896 |
| 8 | 0.48/0.43 | 1/4" | Ascobloc Krefft Küppersbusch Palux | 9296000 49-176197 176197 702129 |
| 8 | 0.6/0.54 | 1/4" | Küppersbusch Palux | 151501 702153 |
| 8 | 0.8/0.65 | 1/4" | MKN | 203399 |
| 8 | up to 1.0 | 1/4" | Fagor | 12024188 |
| 8 | 0.450+-20/0.400+-20 | 3/8" | Ambach | 5061315480 |
| 8 | 0.75 | 1/4" | Electrolux Juno | 0H6699 0H6699 |
| 9 | fixed 1.6 | 1/8" | Inoxtrend Whirlpool | C2075-00 483286002547 |

for combi-steamers



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|-----------------------------|--------------------------------------|
| 1 | 543023 | 1/8" | Hounö | 308000145 |
| 2 | 345218 | 0-3 | Fagor Krefft Rational | 12026621 76-30171002 3017.1002 |



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|-------------------|-----------------------|
| 3 | 345709 | 0-3 | Fagor Rational | 12027847 3017.1011 |
| 3 | 348047 | 0-3 | Hounö | 30220071 |
| 4 | 543022 | 0.1/0.2 | Dungs Hounö | 223363 32700130 |



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|-------------------------|--------------------|
| 5 | 541642 | 80 | Convotherm | 2611504 |
| 6 | 541884 | 150 | — | — |
| 6 | 541833 | 200 | Convotherm | 2619149 |
| 7 | 541806 | 200-3000 | Angelo-Po Convotherm | 3041830 5009063 |



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|--------------|-----------|
| 8 | 542127 | 200-3000 | Electrolux | 0C6217 |
| 9 | 541329 | 350/150 | Rational | 3016.1441 |


for pasta cookers



| fig. | pressure range (mbar) | connection | suitable for | Ref. No. |
|------|-----------------------|------------|-------------------|----------|
| 1 | 541471 | 320/200 | 6mm Electrolux | 0C0872 |
| 2 | 541482 | 385/325 | 6mm Angelo-Po | 3017600 |

for refrigeration

JOHNSON CONTROLS




technical data:
switch pressure 10bar
reset automatic
switching differential 1,1bar
pressure max 38bar
connection solder connection 6.35mm


| pos. | version | pressure range (bar) | suitable for | Ref. No. |
|------|---------|----------------------|--------------|---|
| 1 | 541116 | HD | 7-29 | Electrolux GIGA Icematic Scotsman Simag Zanussi 086039 162007500 XP62007500 62007500 62049901 086039 |

RANCO

DWFK series



| fig. | switching diff. (bar) | pressure range (bar) | suitable for | Ref. No. |
|------|-----------------------|----------------------|--------------|------------------------------------|
| 1 | 542133 | 1 | 9-10 | Migel Migel 1LT075 1LT136 |
| 2 | 542132 | 2 | 17-19 | Mach 80001LT093 |



| fig. | switching diff. (bar) | pressure range (bar) | suitable for | Ref. No. |
|------|-----------------------|----------------------|--------------|---|
| 3 | 541853 | - | 17.5 | Aristarco Kastel K00077 K02908 |



O16 series



technical data:
connection 7/16" UNF (1/4" SAE)

| fig. | type | reset | switching diff. (bar) | pressure range (bar) | suitable for | Ref. No. |
|----------|-----------|-----------|-----------------------|----------------------|--------------------|---------------------------|
| 1 541121 | O16-H6703 | automatic | 0.6-4 | -0.3-7 | Eliwell Ranco | 016H6703106 016H6703 |
| 1 541123 | O16-H6750 | automatic | 2.5-8 | 7-30 | Friulinox Ranco | 995240 016H6750 |
| 2 541122 | O16-H6705 | manual | 0.6 | -0.7-6.4 | Eliwell Ranco | R016H6705106 R016H6705 |
| 2 541124 | O16-H6751 | manual | 3.2 | 7-30 | — | — |

O17 series



technical data:
connection 7/16" UNF (1/4" SAE)
operable temperature range low pressure -0.3-7bar
operable temperature range high pressure 7-30bar

| fig. | type | SD HP (bar) | SD LP (bar) | reset HP | reset LP | suitable for | Ref. No. |
|----------|-----------|-------------|-------------|-----------|-----------|------------------|-------------------------|
| 1 541125 | O17-H4701 | 3.5 | 0.6-4 | automatic | automatic | Eliwell Ranco | 017H4701108 017H4701 |
| 1 541126 | O17-H4703 | 3.5 | 0.6-4 | manual | manual | — | — |
| 1 541127 | O17-H4705 | 3.5 | 0.6-4 | manual | automatic | Eliwell Ranco | 017H4705106 017H4705 |

SAGI NO MIYA



| fig. | reset | type | connection | suitable for | Ref. No. |
|----------|-----------|------------|----------------------|--|--|
| 1 539002 | automatic | HTB-3UA12 | 2.4mm | Scotsman Simag | 620075.02 620075.02 |
| 1 541479 | automatic | HTB-X114 | 2.4mm | Brema Cookmax Electrolux Fagor NTF Staff Ice System | 23175 23175 0KK218 12031100 N23175 4006013000 |
| 1 541855 | automatic | HTB-X3002 | 7/16" UNF (1/4" SAE) | ITV | 300424 |
| 1 541112 | automatic | HTB-X3UC29 | 7/16" UNF (1/4" SAE) | ITV | 302507 |
| 2 541113 | automatic | HTB-X326 | 7/16" UNF (1/4" SAE) | ITV | 302683 |