



# электронные счетчики воды

# 24

flow meters.....	692
flow sensors.....	694



## СЧЕТЧИКИ ВОДЫ

## flow meters

## GICAR



fig.	TS	material	version	approval	suitable for	Ref. No.	
1	400255	1/8"	stainless steel	with LED	NSF	Brasilia Gicar	08729.2.00.08 9.0.55.50G
2	401914	1/4"	brass	with LED	NSF	Expobar Gicar	60100045 9.0.93.02G
3	400642	1/4"	plastic	-	NSF	Bremer Gicar Palux	027790 9.0.97.87G 027790
4	402891	1/4"	plastic	-	NSF	Gicar	9.0.97.85G



fig.	TS	material	version	approval	suitable for	Ref. No.	
5	402898	1/4"	plastic	with LED	NSF	Gicar	9.0.98.61G
6	400222	1/4"	stainless steel	-	NSF	Gicar La Marzocco VFA-Express	9.0.54.05G LAD070 —
7	403410	1/4"	stainless steel	-	NSF	Faema La Cimbali	534393100 534393100
8	526324	1/4"	stainless steel	-	NSF	Carimali Gicar	95.01205 9.0.95.02G



fig.	TS	material	version	approval	suitable for	Ref. No.
9 400779	1/4"	stainless steel	with LED		Gicar Mastro	9.0.68.00G 000403.06.01
10 400004	1/4"	stainless steel	with LED	NSF	Astoria Azkoyen Bezzera Expobar Gicar La San Marco NuovaSimonelli WEGA	18126 — 7431001 60100050 9.0.55.02G. 2209.006 04900027 WY18126
11 400778	1/4"	stainless steel	with LED	NSF	Gicar Reneka	9.0.96.08G 9008954
12 401920	1/4"	stainless steel	with LED	NSF	Gicar Rancilio	9.0.96.19G 34070050



fig.	HCo (mm)	material	approval	suitable for	Ref. No.	fig.	HCo (mm)	material	approval	suitable for	Ref. No.
1 400782	6	plastic	NSF	Cookmax Gicar N&W VFA-Express	098707 9.0.99.07G 098707 414795	1 402889	6	plastic	NSF	Gicar	9.0.99.19G
						1 541750	7	plastic	NSF	Gicar Vibiemme	9.0.99.06G ELETCONTVODOS
						2 402890	6	plastic	NSF	Gicar	9.0.99.60G

accessories



fig.	description	fig.	description
1 400088	casing cover GICAR nickel-plated brass	3 400258	O-ring for flow meter
2 400257	impellor GICAR H 15 mm D1 ø 26,7 mm D2 ø 9,8 mm	4 400256	plug GICAR for flow meter



DIGMESA



fig.	TS	material	approval	suitable for	Ref. No.	fig.	TS	material	approval	suitable for	Ref. No.
1	403268	1/4"	brass	MIWE	507570.03	3	400209	1/4"	brass	NSF	—
2	400005	1/4"	brass	NSF	Faema	2251131855					

miscellaneous



fig.	description	fig.	description
1	402680 flow meter pressure range 0.2-10bar	2	502056 flow meter Set WSE suitable for WINTERHALTER

flow sensors



fig.	inlet ø	outlet ø	L (mm)	flow rate (l/min)	suitable for	fig.	inlet ø	outlet ø	L (mm)	flow rate (l/min)	suitable for		
1	403302	3/4" ET	3/4" IT	78	1-25	Rational	3	402256	10mm	10mm	110	1-25	Fagor Rational
2	403301	10mm	10mm	104	1-25	Rational							