

Моторы

28

gear motors.....	760
motors.....	770
spindle motors.....	777



Моторы

gear motors

for conveyor toaster



fig.	type	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	suitable for	Ref. No.	fig.	type	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	suitable for	Ref. No.	
1	499246	K9119052	24		6x8	CF-Cenedese	63.7.0752	2	601978	RMS125	230	50	1	8x7	Lincat	M013

for ice-cube maker

for paddles



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	499180	ELMOR	MM063-84	220	50	1300	19	ITV	306486
2	501451	FIBER	G025JAMAF00	230	50/60	40	12	FIBER Staff Ice System	G02.5J.AM.AF.00 9082010500
3	500991	FIBER	GE15JAMAD00	230	50/60	50	12	FIBER Staff Ice System	GE1.5J.AM.AD.00 9082013500
4	500413	FIBER	M51BJ0L0001	230	50/60	25	4	Brema Electrolux FIBER NTF	23194 085344 G02.5J.0C.FA.FBW N23194



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
5	500792	KELVIN	230	50		6	ITV	105291




fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
1	601701	CDC	BT01	230	50/60	500	—	—
2	500422	CROUZET	SJ-1219-10	230	50	30	ITV Kastel	105364 606003
3	501472	CROUZET	SP-1905-40	230	50-60	2	Scotsman Simag	IOM916103101 IOM916103101
4	499085	DEXUN	60KTYZ	220-240	50/60	50/60	Saro	325-5007
5	500424	KELVIN	K15	230	50	6	ITV	205201




fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
6	500407	LIP	123MR	220/240	50/60	50	4	Brice Italia Electrolux Eurfrigor Geofrigor Icematic Kastel Migel NuovaSimonelli SF-Maschinen	RG000636 0T3960 RG000636 RG000636 19440059/1 601039 1LT078 16000018 I-184

for sumps




fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	WL (mm)	suitable for	Ref. No.		
1	500410	LIP		230	50	0.7	7	20	Icematic Scotsman SF-Maschinen Simag	19440065/0 CM19440065 I-309 CM19440065	
1	500409	LIP		001	230	50	0.7	7	20	Icematic Scotsman SF-Maschinen Simag	19440063/0 CM19440063 I-303 CM19440063
1	500688	LIP		068	230	50	1	7	20	Brice Italia Eurfrigor Geofrigor	926060 RG000640 RG000640




fig.	producer	type	volt. (V)	freq. (Hz)	shaft ø (mm)	suitable for	Ref. No.
1	500425		230	50	10	ITV	105200
2	500423	CROUZET	230	50	10	ITV	105363
3	500756	LIP	230	50	8	Icematic SF-Maschinen	81442072/0 I-306



fig.	producer	type	volt. (V)	freq. (Hz)	shaft ø (mm)	suitable for	Ref. No.
1	500414		230	50	8	Brema Electrolux NTF	23195 085299 N23195
2	501480	ST0676	220/240	50/60	8	Icematic	81400006/0
3	499309	DEXUN	220-240	50/60	7	Saro	325-5005

miscellaneous




fig.	producer	type	volt. (V)	freq. (Hz)	shaft ø (mm)	suitable for	Ref. No.
1	601445					Wessamat	32301
2	499181	LENZE	400/480	50/60/87	32	ITV	207596
3	499175	ROSSI	230	50	24	ITV Rossi	203201 HBM 63C

for ice crusher




fig.	producer	type	volt. (V)	freq. (Hz)	shaft ø (mm)	suitable for	Ref. No.
1	499203	CIARAMELLA	220/240	50/60	8	Ceado	30107



for softeners



fig.	type	volt. (V)	freq. (Hz)	speed (rpm)	pinion ø (mm)	suitable for	Ref. No.
1	530268	50SM13-4B	230	50	1/30	11	Bores MOTF56
2	530301	G0252AEEBFL	24	50	1	15	Bores FIBER MOTM1M24CI G02.52.AE.EB.PA

for drink dispensers



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
1	500910	FIBER	G02510BAF81	12	50/60	40	6	CAB FIBER FB209 G02.51.0B.AF.81
2	500908	FIBER	G03520AASC3	24	50	20	6	CAB FIBER F023/3 G03.52.0A.AS.C3
1	500911	FIBER	G025J0BAFDM	230	50/60	40	4	CAB FIBER L8102 G02.5J.0B.AF.DM
1	500907	FIBER	G025J0BAFHA	230	50/60	40	6	CAB FIBER P201 G02.5J.0B.AF.HA



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
1	499199	22800-22500	230	50		12/6	Ugolini	33700-00010
2	499065	22800-22500	230	50		12x8	Ugolini	33800-04770
3	501440	ELCO	230	50	32	6x12	Elco SPM	40181242 04.BA0003.001
4	500909	KENTA	CD79F	115/230	50/60	33/40	6x12	CAB Elco F033/1 40181226



5

fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
5	499305	KENTA	K9357511	230	50	33	6x12	Staff Ice System	SL300950212

for grills



1



2



3



4



5

fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	500929	BITRON	97109	230	50	1.8	6x8	Naomi-Grills	SH.B.2G.
2	500800	BITRON	39700022	230	50	1.9	15	Chergui	03KEMP0060
3	499209	KENTA	K9113069	230	50	2.5	6x8	CF-Cenedese Cookmax Fimar RM-Gastro	63.7.0751 old 637075100 CO0685 637075100
4	500977	KENTA	K9115153	230	50	5	9	North	HCR1
5	500499	TRIAL	MR5	230	50/60	5/8	Universo	GES20026	



1



2



3

fig.	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	type	producer	suitable for	Ref. No.
1	500768	230	50	2	981	METEOR	CB	07010155
2	601126	230	50	4.5	9/10	KELVIN	Tecno MCM	020112
3	500603	230	50/60	8	2512-B01661-1392	RMS	Roller Grill	A03064



for gyros grills




fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	499012	NAOMI	MTR4b	230	50	1	8	Inoksan Naomi-Grills	10130104 101A
2	500070	POTIS	206	230	50	1	8	Cookmax Potis	PT0153 PT0153
2	500502	POTIS	427	220-240	50	2	8	Cookmax Potis	PT0156 PT0156




fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	501448	POLYDOR	850/1.5	230	50	1.5	10	Polydor	201575
2	500797	POTIS	PT0152	230	50	1	18	Cookmax Potis	PT0152 PT0152



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	500868	BITRON	323	230	50/60	2.4	9	Anitec Modular Star10	079515 66402600 079515
2	500976	BITRON	97172	230	50	1.8	8.5	North	GG1
3	500600	CROUZET	80644034	220	50/60		15	Roller Grill	A03050
4	500869	KENTA	K9113077	230	50	0.5	8.5	Anitec Star10	079513 079513
5	500748	KENTA	K9115106	230	50	2.5	15	Roller Grill	A03054





fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
6	500993	KENTA	K9175001	230	50	1	8	Roller Grill	A03055
7	601765	KENTA	K9177150	230	50	2	21	Roller Grill	A03053

for automatic coffee machines



fig.	producer	type	volt. (V)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	601486		230	48	15	Cookmax N&W	252030 252030	
2	601488		230	70	15	Cookmax N&W	251866 251866	
3	501489		6-24		6	Carimali	01.01418.CL	
4	601987	EL RD-1	24	80	7	Carimali	96.00702.CA	
5	601490	LIP	111	230	8	6x8.5	Cookmax N&W	098708 098708




fig.	producer	type	volt. (V)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
6	500316	LIP	066C	220/240	12	NuovaSimonelli	04600001

for bratt pans




fig.	producer	type	volt. (V)	freq. (Hz)	ph (phase)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	500348	ERREKA	65-T2100CF01	230	50	1	0.27	59.5	Fagor	12016368



for microwaves



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
1	601941	7E K24FUN02	230	50/60	25.3/30.3	6.5x6	ACP	12002873
2	601943	7E P24FUN03	230	50/60	25.3/30.3	6x4.6	ACP	59004093
3	601944	SSM-16H	220-240	50/60	29.1/34.9	5.5x5.5	ACP ACP	54126033 56001460
4	601942	TYJ50-8A7F	220/240	50/60	29.7/35.6	5.5x5.5	ACP	58101053
4	601866	GALANZ GAL-33-30-TD(B)	30	50/60	33/40	6x3.5	Galanz Horeca-Select	GMW1025-C100(10STK) GMW1025-C100
4	601867	GALANZ GAL-33-30-TD(B)	30	50/60	33/40	6x3.5	Galanz Horeca-Select	GMW1025-C100 GMW1025-C100
4	601828	SYNCHRONOUS MOTOR SM-16E	220-240	50/60	30/36	6x3.5	Galanz	GMW1030-C100
5	601969	ELENSYS SM16 HK36M0HZ	220-240	50-60	10-12	6.5x4.5	Cookmax Sharp	RMOTDA310WRZZ RMOTDA310WRZZ

for ovens

for flues



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
1	361565	CROUZET 82841056	24	-	4.2	4	Krefft Rational	76-31011007 3101.1007
2	500873	CROUZET G70C10AFTEG	12	-	-	6	Fagor Rational	12027771 22.00.318
3	601138	CROUZET G70C10AFTEG	12	-	-	4	Emmepi Fagor FIBER Frima Krefft Rational	809507 12031548 G70.C1.0A.FT.EG 3101.1010 76-31011010 3101.1010
4	500670	FIBER G025JABDAAD	230	50/60	2	4	Electrolux FIBER Juno Zanussi	002696 G02.5J.AB.DA.AD 002696 002696
4	530008	MECHTEX SOE-224	230	50/60	10	6x5	Fagor FIBER	12024638 G025J0BBGPF



fig.	producer	type	volt. (V)	freq. (Hz)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.
5	FIBER	P245J01C128	230	50		6.3	Retigo	EA11-0012
6	FIBER	P245J01C620	230	50/60	2	6	Electrolux FIBER Zanussi	0C0883 P24.5J.01.C6.20 0C0883
7	FIBER	P255201B4T1	24	50	6	6	Hounö	20700012



fig.	producer	type	volt. (V)	freq. (Hz)	shaft ø (mm)	suitable for	Ref. No.
1	AUTOM	ASR/30/FR	230	50	8	Bourgeois	MOT018

for dishwashers



fig.	producer	type	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	suitable for	Ref. No.
1		404988	24	-	-	7.5	Winterhalter	61006607
2		71E00147	230/400	50/60	3		Fagor	12024739
3	AKSAN	AKWDKS	380	50/60		25	Öztiryakiler	6262.00015.00
4	C.M.E	71 B 6/4	230	50	1		Fagor	12023304



fig.	producer	type	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	suitable for	Ref. No.
5	E.M.C.	MS63B-4	230/400-280/480	50/60	3	11	Dihr Kromo Rosinox	DW3000120 DW3000120 RX94808672
6	FIR	71-B5	400	50/60	3	14	Bonnet Colged Elettrobar Rosinox Thirode	2001419H 927105 927105 RX94812161 2001419H



for timers



pos.	producer	type	volt. (V)	freq. (Hz)	run-time (s)	speed (rpm)	shaft ø (mm)	suitable for	Ref. No.	
1	360106	FIBER	G025JBJEU00	230	50	90	2/3	4	FIBER	G02.5J.BJ.EU.00
2	360107	FIBER	G025JBJFE00	230	50/60	120	0.5	4.5	FIBER	G02.5J.BJ.FE.00
3	360109	FIBER	G025JBJFT00	230	50/60	180	1/3	4.4	FIBER	G02.5J.BJ.FT.00
4	360105	FIBER	M51BJ0R0000	230	50/60	60	1	4	FIBER	G02.5J.BJ.EB.00

miscellaneous



fig.	type	volt. (V)	application	suitable for	Ref. No.
1	500920		for chocolatiere	VEMA	XRC120
2	500344	230	for chocolatiere	—	—
3	500730	230	for citrus juicers	Cookmax Sirman	IB9865132 IB9865132
4	500932	230	for pizza display	Cookmax Sirman	IB5036000 IB5036000



fig.	type	volt. (V)	application	suitable for	Ref. No.
5	501432	230	combi-steamer	Electrolux	0C8692
6	500489	24	for toaster	Fimar Sirman	CO1680 IB5036810
7	601483	230	for toaster	Cookmax Hatco	02.12.079.00 02.12.079.00
8	500913	230	for display refrigerator	Tecfrigo	X07003




fig.	type	volt. (V)	application	suitable for	Ref. No.
9	G085J0BDA36	230	for roller grill	CB	07010118
10	M02	230	for hood	Tecfrigo	X70001
11	MR3	230	for vitrine	—	—
12	S4355L	230	for hot display	Cookmax Haçco	02.12.026.00 02.12.026.00
13	TY49-II	230	for vitrine	Roller Grill	A03026


fig.	type	volt. (V)	application	suitable for	Ref. No.
14	ZEM-6006-25	230		Pitco	PP10930

motors


for slicers



pos.	volt. (V)	ph (phase)	speed (rpm)	shaft ø (mm)	WL (mm)	ø (mm)	H (mm)	MD (mm)	HD (mm)	Hø (mm)	type	suitable for	Ref. No.	
1	501427	230	1	1380	15	25	115	86	44	145	6	H35-700283	Horeca-Select RGV	700283 00000700283
2	500923	230	1	1380	15	28	115	87	49	145	6	H35-508	RGV	00000000508
3	500912	230	1	1380	15	28	115	92	49	145	6	H40-510	RGV	00000000510
4	500954	230	1	1380	15	28	115	112	75	145	8	H60-1150	RGV	00000001150
5	500973	230	1	1380	15	28	115	112	75	145	6	H60-425	RGV	00000000425
6	500898	230	1	1400	15	20	125	100	71	155	6	C71/40	Sirman	19400101
7	500717	230	1	1400	15	21	135	120	63	155	8	C71/40	Cookmax Sirman	SM400108 SM400108
8	500718	400	3	1400	15	22	135	120	63	155	8	C71/40	Cookmax Sirman	SM402215 SM402215


pos.	volt. (V)	ph (phase)	speed (rpm)	shaft ø (mm)	WL (mm)	ø (mm)	H (mm)	MD (mm)	Hø (mm)	type	suitable for	Ref. No.
1	500721	230	1	890	16.5	32	130	140	108	8	Cookmax Sirman	19400108 19400108
2	500715	230	1	1400	15	23	110	98	69	6	Cookmax Sirman	AMC648 AMC648
3	500720	230/400	3	890	16.5	32	130	120	87	8	Cookmax Sirman	19400408 19400408



1

fig.	volt. (V)	ph (phase)	speed (rpm)	shaft ø (mm)	WL (mm)	ø (mm)	H (mm)	MD (mm)	Hø (mm)	HD (mm)	type	suitable for	Ref. No.
1	501425	230	1	1400	14	63			9.5	110		Sirman	SM401408

group 4



1

fig.	volt. (V)	speed (rpm)	shaft ø (mm)	WL (mm)	ø (mm)	H (mm)	MD (mm)	HD (mm)	Hø (mm)
1	499325	230							

for bar blender



1 2 3

fig.	volt. (V)	P (W)	freq. (Hz)	speed (rpm)	ph (phase)	TS	shaft ø (mm)	MD (mm)	suitable for	Ref. No.
1	501455	220	450	50	800	M6L	8	36	Ceado	30103
2	500728	220	450	50	18000	M6L	8	36	Cookmax Sirman	IB5000800 IB5000800
3	500729	230	750	50	14000/24000	M8L		90	Cookmax Sirman	IB5000900 IB5000900



pos.	volt. (V)	P (W)	freq. (Hz)	speed (rpm)	ph (phase)	shaft ø (mm)	WL (mm)	suitable for	Ref. No.
1	499202	230	50		1	10	125	Ceado Fimar	90115 CO1665
2	500731	230	100	50/60	14000	10	143	Cookmax Sirman	IB9865200 IB9865200
3	500732	230	100	50/60	14000	18	143	Cookmax Sirman	IB9865201 IB9865201

for cutters



pos.	P (kW)	volt. (V)	ph (phase)	shaft ø (mm)	WL (mm)	MD (mm)	ø (mm)	H (mm)	suitable for	Ref. No.
1	500897	230	1	20	25	64	100	140	Cookmax Sirman	MSC04N136 MSC04N136

for ice-cube maker

complete



fig.	P (kW)	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	speed (rpm)	type	suitable for	Ref. No.	
1	499183	0.12	220	50/60	1	7	1390/1600	RM63/50	ITV	105261
2	500793	0.12	230	50/60	1	10	1390/1600	RM63/50	ITV	205260
3	499182	0.18	230	50	1	10	1300	3RGM 85-40/1	Elco ITV	4-010-1986 205262
4	601968	0.18	220/240	50/60	1	11	1300	11037703	—	—
5	500727	0.35	230	50	1		12000		Cookmax Sirman	IB5000801 IB5000801

for meat mincers

motors



pos.	P (kW)	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	speed (rpm)	type	suitable for	Ref. No.	
1	500724	0.25	230	50	1	11	2800	MY632-2	Cookmax Sirman	29401502 29401502



rotors



pos.	volt. (V)	ø (mm)	shaft ø (mm)	WL (mm)	suitable for	Ref. No.	pos.	volt. (V)	ø (mm)	shaft ø (mm)	WL (mm)	suitable for	Ref. No.		
1	500726	230	89.2	25	357	Cookmax Fama Sirman	MF2095A F2095 MF2095A	2	500725	400	89.2	25	357	Cookmax Fama Sirman	MF2202 F2202 MF2202

stators



pos.	volt. (V)	freq. (Hz)	NP (-pole)	speed (rpm)	ph (phase)	ø (mm)	ID ø (mm)	H (mm)	suitable for	Ref. No.	
1	500828	230	50	4	1400	1	150	90	70	Cookmax Fama Sirman	MF2096 F2096 MF2096
2	500830	230	50	6	900	1	150	103	90	Cookmax Fama Sirman	MF2203 F2203 MF2203
3	500829	400	50	4	1400	3	150	83.6	50	Cookmax Fama Sirman	MF2097 F2097 MF2097
4	500831	400	50	6	900	3	150	90	70	Cookmax Fama Sirman	MF2204 F2204 MF2204

for vegetable slicers



pos.	volt. (V)	P (W)	freq. (Hz)	ph (phase)	shaft ø (mm)	WL (mm)	ø (mm)	H (mm)	MD (mm)	Hø (mm)	suitable for	Ref. No.
1	499254	230	50	1	14	37	140	180			Fimar	SL1470
2	500719	230	515	50	1	14	37		154		Cookmax Sirman	IV5050002 IV5050002
3	601855	230	550	50	1	31.5	37	220	170		Nisbets	AC028

for automatic coffee machines



pos.	volt. (V)	P (W)	shaft ø (mm)	WL (mm)	suitable for	Ref. No.	pos.	volt. (V)	P (W)	shaft ø (mm)	WL (mm)	suitable for	Ref. No.	
1	601495	230	4	27	Cookmax N&W	098808 098808	2	601494	230	48	7.5	24	Cookmax N&W	251777 251777



for coffee grinders

complete



fig.	P (kW)	volt. (V)	ph (phase)	shaft ø (mm)	WL (mm)	type	suitable for	Ref. No.
1	525529	24	1	2		WRS-365SH-14134	QualityEspresso	09001132
2	500949	0.25	230	1	15	11004007	WEGA	WY28247001

for potato peelers



pos.	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	WL (mm)	speed (rpm)	suitable for	Ref. No.	pos.	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	WL (mm)	speed (rpm)	suitable for	Ref. No.		
1	500711	230	50	1	10	21	1400	Cookmax Fimar Sirman	RG04260A CO2115 RG04260A	3	500712	400	50	3	10	21	1400	Cookmax Fimar Sirman	RG04260B CO2114 RG04260B
2	500713	230	50	1	12	23	1400	Cookmax Fimar Sirman	RG08260A CO2117 RG08260A	4	500714	400	50	3	12	23	1400	Cookmax Fimar Sirman	RG08260B CO2116 RG08260B


for microwaves



fig.	volt. (V)	freq. (Hz)	speed (rpm)	type	suitable for	Ref. No.	
1	699538	230	50/60	25.3/30.3	7E P24FUN01	ACP	R0150197
2	601911	230	50/60	25.3/30.3	7E P24FUN04	ACP	59124180



for mozzarella slicers



pos.	volt. (V)	ph (phase)	speed (rpm)	shaft ø (mm)	WL (mm)	ø (mm)	H (mm)	MD (mm)	Hø (mm)	suitable for	Ref. No.
1	500722	230	1	1400	15	31	115	155	110	10	Cookmax Sirman IB5053002
2	500716	240	1	1400	15	31	115	155	110	10	Cookmax Sirman IB5053004
3	500723	230/400	3	1400	15	31	115	155	110	10	Cookmax Sirman IB5053003

for dishwashers



fig.	P (kW)	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	WL (mm)	speed (rpm)	type	suitable for	Ref. No.
1	501477	0.26	400	50	14	40	900		Dih Kromo Rosinox	DW3000110 DW3000110 RX94807590
2	501405	0.18/0.22	230/400-280/480	50/60	3	11	1340/1608	MS63B-4	Dih Kromo Rosinox	DW3000120 DW3000120 RX94808672

for hand blenders

motors



fig.	volt. (V)	P (W)	shaft ø (mm)	MD (mm)	suitable for	Ref. No.	fig.	volt. (V)	P (W)	shaft ø (mm)	MD (mm)	suitable for	Ref. No.
1	698373	230	8	55	Fimar	SL2899	2	698378	230	100	6.4	Dynamic Horeca-Select	2847 2847



for citrus juicers



pos.	P (kW)	volt. (V)	freq. (Hz)	shaft ø (mm)	WL (mm)	suitable for	Ref. No.
1 501426	0.18	230-240	50	8	40	Hendi Horeca-Select	900956 900956

motors



pos.	volt. (V)	freq. (Hz)	shaft ø (mm)	WL (mm)	speed (rpm)	suitable for	Ref. No.	pos.	volt. (V)	freq. (Hz)	shaft ø (mm)	WL (mm)	speed (rpm)	suitable for	Ref. No.
1 500711	230	50	10	21	1400	Cookmax Fimar Sirman	RG04260A CO2115 RG04260A	3 500712	400	50	10	21	1400	Cookmax Fimar Sirman	RG04260B CO2114 RG04260B
2 500713	230	50	12	23	1400	Cookmax Fimar Sirman	RG08260A CO2117 RG08260A								

universal



fig.	P (kW)	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	Ref. No.
1 499224		230/400-275/480	50/60	3		160	1410/1710	T90S4T	Fimar	SL1041
2 601463	0.09	230	50	1	9	80	1300	AMM56ZAA4	Cookmax Olis	2510631 2510631
3 500724	0.25	230	50	1	11	90	2800	MY632-2	Cookmax Sirman	29401502 29401502
4 501404	0.37	230	50	1	14	160	1370	S71B4	Cookmax Pizza-Group	2420200 A87MR55003




fig.	P (kW)	volt. (V)	freq. (Hz)	ph (phase)	shaft ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	Ref. No.
5	499254	0.45	230	50	1	14	1320	MYT 712-4	Fimar	SL1470
6	500473	0.75	230/400	50	3	19	1400	FS80B4	Fimar Pizza-Group	SL3309 PF08300
6	500471	1.1	400	50	3	19	1400	80D4	Pizza-Group	A87MR56009
6	499205	1.5/1.8	230/400-277/480	50/60	3	24/27	1400/1680	TS90L4	Fimar	SL3311
7	500472	2	400	50	3	24	1400	YS9034	Pizza-Group	A96ZJ00014



fig.	volt. (V)	freq. (Hz)	speed (rpm)	fig.	volt. (V)	freq. (Hz)	speed (rpm)		
1	499224	230/400-275/480	50/60	1410/1710	2	504785	240	50	1425

spindle motors

MECVEL





fig.	type	volt. (V)	shaft ø (mm)	suitable for	Ref. No.	
1	500621	PP041.0012	24	16	Electrolux Zanussi	006690 006690

SKF/ATB



pos.	type	volt. (V)	shaft ø (mm)	suitable for	Ref. No.
1	499136	MAX30-A200415A25200-000	24	Capic SKF	E020515 MAX30-A200415A25200-000