



газовые форсунки

6

main nozzles.....	260
pilot burner nozzles.....	267
bypass nozzles.....	269
internal nozzles.....	270
burner nozzles.....	271
chokes.....	271

газовые форсунки

main nozzles

gas nozzles 1/8"

BAUMEISTER, MKN



technical data:
thread size 1/8"

pos.	ø (mm)	pos.	ø (mm)		
1	100431	1.3	2	100430	2.2

BLUE SEAL



technical data:
thread size 1/8"
wrench size 13

fig.	ø (mm)	code	fig.	ø (mm)	code
1	107510	1.4	1	107512	2.4
1	107513	1.6	1	107511	2.6



technical data:
thread size 1/8"
wrench size 13

fig.	ø (mm)	code
2	107520	1.85

FALCON



technical data:
thread size 1/8"
wrench size 10

pos.	ø (mm)	pos.	ø (mm)		
1	107435	1.57	3	107439	2.38
2	107311	2.15	4	107440	3.2

gas nozzles 1/4"

FALCON



technical data:
thread size 1/4"IT
wrench size 15

fig.	ø (mm)	
1	109147	1.7



technical data:
thread size 1/4"IT
wrench size 15

fig.	ø (mm)	fig.	ø (mm)		
2	109170	2.25	2	109146	2.6
2	109144	2.3	2	109171	2.9

MBM ITALY



technical data:
thread size 1/4"
wrench size 17

pos.	ø (mm)	pos.	ø (mm)		
1	106645*	2.7	2	106794	3.2

gas nozzles 3/8"

CAPIC, CHARVET, MORICE, ROLLER GRILL, ROSINOX, SOLYMAC, ...



technical data:
thread size 3/8"
wrench size 17

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	107500	0.5	14	106536	1.4	27	106549	2.7
2	106526	0.6	15	106537	1.5	28	106551	2.8
3	106527	0.7	16	106538	1.6	29	106552	2.9
4	100984	0.75	17	106539	1.7	30	106553	3
5	106528	0.8	18	106540	1.8	31	106554	3.1
6	100985	0.85	19	106541	1.9	32	106555	3.2
7	106529	0.9	20	106542	2	33	106556	3.3
8	106530	0.95	21	106543	2.1	34	106557	3.5
9	106531	1	22	106544	2.2	35	106558	3.6
10	106532	1.1	23	106545	2.3	36	106559	3.8
11	106533	1.15	24	106546	2.4	37	107208	4
12	106534	1.2	25	106547	2.5	38	106567	4.1
13	106535	1.3	26	106548	2.6	39	106644	5.1

FALCON



technical data:
thread size 1 3/8"
thread size 2 3/8"
wrench size 21

pos.	ø (mm)	
1	107438	3.2

NAYATI




technical data:
thread size 1 3/8"
thread size 2 M12x1.25
wrench size 19

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	100989	1.4	5	100993	1.95	9	100997	3.2
2	100990	1.5	6	106836	2.1	10	100995	3.5
3	100992	1.6	7	100994	2.35			
4	100991	1.7	8	100996	2.6			



gas nozzles 3/8" UNF

IMPERIAL USA




technical data:
thread size 3/8" UNF
wrench size 13

pos.	code	ø (mm)	pos.	code	ø (mm)		
1	106353	39	2.5	3	106376	43	2.2
2	106351	41	2.4	4	106352	52	1.5

gas nozzles M6x0.75


AMBACH



technical data:
thread size M6x0.75
wrench size 7

pos.	ø (mm)	pos.	ø (mm)		
1	102768	0.5	2	102769	0.9


ANGELO PO



technical data:
thread size M6x0.75
wrench size 8

fig.	ø (mm)	fig.	ø (mm)	fig.	ø (mm)			
1	106470	0	2	102567	1	2	102569	1.5
1	102564	1.65	2	102570	1.15	2	106745	1.55
1	102565	1.75	2	106744	1.3			
1	102961	1.85	2	102571	1.4			


BERTO'S, LINCAR, SIMOGAS, SUPREMA



technical data:
thread size M6x0.75
wrench size 7

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	107598	0.65	3	106694	0.75	5	106715	0.9
2	104343	0.74	4	100415	0.85	6	106898	1


FAGOR, GIGA, MARENO, MODULAR, LINCAT



technical data:
thread size M6x0.75
wrench size 7

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	103201	0.6	6	103220	1.24	11	106486	1.98
2	106662	0.9	7	106483	1.35	12	109414	2.25
3	106481	0.95	8	102836	1.4	13	102837	2.4
4	106482	1.1	9	106484	1.45			
5	106591	1.15	10	106485	1.6			


FALCON



technical data:
thread size M6x0.75
wrench size 7

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	107310	1.07	2	107287	1.75	3	107288	1.95


KROLL



technical data:
thread size M6x0.75
wrench size 13

pos.	ø (mm)	pos.	ø (mm)		
1	100242	1.1	2	100777	1.4


MARENO, RM GASTRO



technical data:
thread size M6x0.75
wrench size 7

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	106590	0.8	3	106588	0.9	5	106592	1
2	104766	0.85	4	104767	0.96			


MARENO, RM GASTRO, BERTO'S



technical data:
thread size M6x0.75
wrench size 7

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	104782	0.75	5	104787	1.4	9	106594	1.75
2	104765	0.8	6	104778	1.45	10	106589	1.9
3	104781	1.3	7	106593	1.5	11	102838	2.5
4	102553	1.35	8	104788	1.58			

miscellaneous




technical data:
thread size M6x0.75
wrench size 7

pos.	ø (mm)	Qty (pcs)	pos.	ø (mm)	Qty (pcs)		
1	109113	0.72	10	2	106293	0.76	1

gas nozzles M7x1

BERTO'S, GIGA, LOTUS, MBM, SILKO, FALCON



technical data:
thread size M7x1
wrench size 10

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	107536	0.5	8	100518	0.85	15	104548	1.5
2	100516	0.55	9	100519	0.95	16	100524	1.55
3	100976	0.7	10	100520	1.2	17	100525	1.6
4	102549	0.72	11	104547	1.25	18	107434	1.7
5	103129	0.75	12	100521	1.3	19	100977	2.5
6	100517	0.8	13	100522	1.35	20	100978	2.7
7	102554	0.82	14	100523	1.4			

gas nozzles M8x0.75

FIMAR



technical data:
thread size M8x0.75
wrench size 11

pos.	ø (mm)
1 104071	0.92

gas nozzles M8x1

ANGELO PO, TECNO MCM, ROLLER GRILL



technical data:
thread size M8x1
wrench size 10

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1 104737	0.5	4 106664	1.2	7 104736	1.85
2 106999	0.9	5 100988	1.35		
3 106911	1	6 106910	1.45		

ROLLER GRILL



technical data:
thread size M8x1
wrench size 12

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1 100982	0.85	3 100987	1.3	5 102952	1.7
2 102953	1.1	4 100983	1.5		

TECNOEKA



technical data:
thread size M8x1
wrench size 10

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1 102694	0.9	2 107531	1.05	3 102693	1.4

gas nozzles M9x1

AMBASSADE



technical data:
thread size M9x1
wrench size 12

pos.	ø (mm)	pos.	ø (mm)
1 103248	0.95	2 103249	1.35

BARTSCHER, CB, MODULAR, OLIS, SILKO, REPAGAS



technical data:
thread size M9x1
wrench size 10

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1 103177	0.5	4 100500	0.85	7 100502	1
2 103178	0.65	5 107345	0.9	8 100503	1.1
3 100957	0.8	6 100501	0.95	9 100504	1.15

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
10 100505	1.2	15 100508	1.45	20 106881	2.1
11 100506	1.25	16 100509	1.55	21 100513	2.15
12 100956	1.3	17 100510	1.8	22 100514	2.35
13 100507	1.35	18 100511	1.9	23 107347	2.4
14 107346	1.4	19 100512	2	24 100515	2.5

LINCAR



technical data:
thread size M9x1
wrench size 10

pos.	ø (mm)	pos.	ø (mm)
1 107596	1.45	2 107595	1.5

gas nozzles M10x1

AMBACH, LAINOX, FALCON, GIGA



technical data:
thread size M10x1

pos.	WS	ø (mm)	pos.	WS	ø (mm)
1 100631	11	0.65	19 100653	11	1.5
2 100632	11	0.7	20 106286	11	1.55
3 100633	11	0.75	21 100644	11	1.6
4 100634	11	0.8	22 102867	11	1.65
5 100650	11	0.8	23 100654	11	1.7
6 100635	11	0.85	24 100645	11	1.8
7 100636	11	0.9	25 106631	11	1.9
8 100651	11	1.05	26 106291	11	1.95
9 100637	11	1.1	27 106288	11	2.05
10 100638	11	1.15	28 106320	11	2.15
11 100652	11	1.15	29 106287	11	2.2
12 100646	11	1.2	30 106500	11	2.3
13 100639	11	1.25	31 106289	11	2.45
14 100640	11	1.3	32 102868	11	2.55
15 100641	11	1.35	33 102869	11	2.9
16 100642	11	1.4	34 104562	11	4
17 106306	11	1.45	35 107457	12	2.7
18 100643	11	1.5	36 104561	12	6.8

AMBACH, ZANUSSI, CONVOTHERM, GICO, MARRONE, MARENO



technical data:
thread size M10x1
wrench size 12

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1 100973	0.8	10 100671	1.25	19 100672	1.7
2 106595	0.83	11 100156	1.3	20 106980	1.73
3 100670	0.9	12 101974	1.35	21 106402	1.75
4 100150	0.95	13 100675	1.4	22 100152	1.8
5 100676	1	14 100155	1.45	23 106407	1.85
6 100154	1.05	15 100816	1.5	24 106403	1.9
7 106400	1.1	16 101975	1.55	25 102791	1.95
8 106979	1.15	17 100153	1.6	26 106405	2
9 106650	1.2	18 100151	1.65	27 100673	2.05

Table continues overleaf

MAIN NOZZLES



pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
28	106762	2.1	32	100157	2.4	36	106409	3.05
29	106401	2.2	33	100158	2.5	37	106406	3.5
30	102499	2.25	34	106404	2.8	38	101972	3.6
31	101973	2.3	35	106408	3			

ANGELO PO, BARON, ZANUSSI



technical data:
thread size M10x1
wrench size 12

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	106471	0.7	13	106612	1.45	25	106458	2.1
2	106465	0.8	14	101961	1.55	26	106475	2.2
3	106472	0.85	15	106613	1.55	27	104627	2.25
4	106451	0.9	16	106467	1.6	28	106459	2.4
5	106473	1.05	17	106468	1.7	29	106469	2.5
6	106609	1.1	18	106454	1.8	30	106460	2.6
7	106466	1.15	19	106455	1.85	31	106461	2.8
8	106610	1.2	20	106614	1.9	32	106462	2.9
9	106611	1.25	21	106456	1.95	33	106463	3
10	106328	1.3	22	109115	1.95	34	106464	3.4
11	106452	1.35	23	106474	2	35	693314	3.95
12	106453	1.4	24	106457	2.05	36	106675	4.5

ANGELO PO, BERTOS, CASTA, GIGA, MODULAR, OFF-CAR, RM GASTRO, SILKO, STAR10



technical data:
thread size M10x1
wrench size 11

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	107538	0.5	15	101997	1.4	29	106284	2.15
2	102705	0.8	16	102774	1.45	30	106496	2.2
3	102702	0.85	17	100793	1.5	31	106495	2.25
4	106295	0.9	18	102706	1.55	32	104069	2.3
5	106683	0.93	19	104779	1.6	33	100794	2.35
6	100420	0.95	20	102773	1.65	34	106497	2.4
7	109116	1	21	104777	1.7	35	102772	2.5
8	106494	1.05	22	106493	1.75	36	102775	2.55
9	106503	1.1	23	102984	1.8	37	100795	2.6
10	106285	1.15	24	106440	1.85	38	102776	2.65
11	102704	1.2	25	102703	1.9	39	102777	2.9
12	106490	1.25	26	106498	1.95	40	107146	3.85
13	106296	1.3	27	106684	2.05			
14	100792	1.35	28	106491	2.1			

ANGELO PO, GICO, ZANUSSI



technical data:
thread size M10x1
wrench size 12

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	100380	0.7	12	100541	1.25	23	100544	1.9
2	107341	0.75	13	100542	1.3	24	100958	1.95
3	100535	0.8	14	107544	1.35	25	100385	2
4	100381	0.85	15	102151	1.4	26	100386	2.2
5	102126	0.9	16	100387	1.45	27	100388	2.3
6	100536	0.95	17	100543	1.5	28	100545	2.5
7	100537	1	18	100383	1.6	29	106430	2.6
8	100382	1.05	19	100661	1.65	30	107466	3.05
9	100538	1.1	20	100876	1.7	31	106431	3.3
10	100539	1.15	21	100384	1.8			
11	100540	1.2	22	102760	1.85			

ANGELO PO, MODULAR



technical data:
thread size M10x1
wrench size 12

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	106299	0	5	106695	1.45	9	106304	2.1
2	106300	0.9	6	106305	1.5	10	106303	2.3
3	106301	1.05	7	107532	1.75			
4	106302	1.25	8	102236	2.1			

ARC



technical data:
thread size M10x1
wrench size 11

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	104350	0.75	5	104358	1.17	9	104356	1.5
2	104351	0.85	6	104352	1.2	10	104357	1.7
3	104354	0.9	7	104359	1.35	11	104360	2.05
4	104355	1.05	8	104353	1.4	12	104361	2.3


EKU, LOTUS, MARENO, LINCAR



technical data:
thread size M10x1
wrench size 12

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	100461	0.4	10	100442	1.05	19	100471	1.35
2	100462	0.45	11	100468	1.1	20	100472	1.4
3	100463	0.7	12	100469	1.15	21	100473	1.45
4	100464	0.75	13	100470	1.2	22	100474	1.5
5	100444	0.8	14	103211	1.25	23	103234	1.5
6	100465	0.85	15	106754	1.25	24	100475	1.55
7	100440	0.9	16	100446	1.3	25	100476	1.6
8	100466	0.95	17	102721	1.3	26	100477	1.65
9	100467	1	18	103212	1.32	27	100441	1.7


Table continues overleaf



technical data:
thread size M10x1
wrench size 12

pos.	Ø (mm)	pos.	Ø (mm)	pos.	Ø (mm)			
28	100478	1.75	34	100484	2.05	40	100487	2.4
29	100479	1.8	35	100443	2.1	41	100488	2.5
30	100480	1.85	36	100445	2.15	42	100489	2.6
31	100481	1.9	37	100485	2.2	43	100490	2.7
32	100482	1.95	38	100486	2.25	44	100491	3
33	100483	2	39	100447	2.3			

ELFRAMO, GIGA, REPAGAS, KOMEL



technical data:
thread size M10x1
wrench size 12

pos.	Ø (mm)	pos.	Ø (mm)		
1	100067	1.1	3	106290	1.85
2	107343	1.2	4	107344	2.4


FAGOR



technical data:
thread size M10x1
wrench size 13

pos.	Ø (mm)	pos.	Ø (mm)	pos.	Ø (mm)			
1	109410	0.8	13	109426	1.6	25	109404	2.9
2	109411	1	14	109427	1.65	26	109417	2.95
3	109415	1.05	15	109428	1.7	27	109400	3
4	109416	1.1	16	109430	1.8	28	109405	3.6
5	109418	1.2	17	109432	1.9	29	109403	3.7
6	109419	1.25	18	109434	2	30	109408	4
7	109420	1.3	19	109429	2.1	31	109401	4.1
8	109421	1.35	20	109437	2.15	32	109402	4.25
9	109422	1.4	21	109439	2.25	33	109412	4.55
10	109423	1.45	22	109441	2.35	34	109407	4.9
11	109424	1.5	23	109444	2.5	35	109406	5.35
12	109425	1.55	24	109409	2.8			


GIGA, MBM, MODULAR



technical data:
thread size M10x1
wrench size 12

pos.	Ø (mm)	pos.	Ø (mm)	pos.	Ø (mm)			
1	100400	0.8	10	102978	1.25	19	102690	1.75
2	102291	0.85	11	100401	1.3	20	106502	1.8
3	100623	0.9	12	100404	1.35	21	102688	1.95
4	100807	0.95	13	102821	1.4	22	100629	2
5	102691	1	14	106501	1.45	23	100405	2.1
6	100402	1.05	15	102820	1.5	24	102689	2.25
7	102819	1.1	16	102687	1.55	25	106876	2.55
8	100625	1.15	17	102818	1.6	26	100971	2.6
9	106318	1.2	18	100403	1.7			


MBM



technical data:
thread size M10x1
wrench size 12

fig.	Ø (mm)	fig.	Ø (mm)		
1	103199	1.65	1	106795	2.2

NAYATI



technical data:
thread size M10x1
wrench size 13

pos.	Ø (mm)	pos.	Ø (mm)		
1	102826	0.95	3	102778	1.4
2	102827	1.15	4	102779	1.75

gas nozzles M10x1.5

CAPIC




technical data:
thread size M10x1.5
wrench size 14

pos.	Ø (mm)	pos.	Ø (mm)		
1	196000	1.1	3	106936	1.7
2	106935	1.6	4	106937	1.8

gas nozzles M11x1

AMBACH, OLIS




technical data:
thread size M11x1
wrench size 13

pos.	Ø (mm)	pos.	Ø (mm)	pos.	Ø (mm)			
1	106643	0.8	13	100684	1.55	25	106626	2.4
2	106277	0.9	14	100685	1.6	26	106627	2.45
3	100680	0.95	15	100686	1.7	27	100693	2.5
4	106620	1	16	100687	1.75	28	106569	2.6
5	106642	1.05	17	100688	1.8	29	100694	2.65
6	100681	1.1	18	100689	1.85	30	106628	2.8
7	100682	1.15	19	100690	1.9	31	100695	2.9
8	100683	1.25	20	106623	1.95	32	106629	2.95
9	106621	1.3	21	100691	2.05	33	100696	3
10	106326	1.35	22	106624	2.1	34	100697	3.3
11	106622	1.4	23	100692	2.15			
12	106278	1.45	24	106625	2.3			



gas nozzles M12x1


EMMEPI



technical data:
thread size M12x1
wrench size 13

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	106266	0.81	4	106268	1.2
2	106674	0.95	5	106423	1.25
3	106267	1.05	6	106857	1.3
			7	106856	1.7

JUNO, KÜPPERSBUSCH, MKN, PALUX, ASCOBLOC, LINCAT



technical data:
thread size M12x1
wrench size 14

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	100974	0.80	20	100700	1.50
2	100279	0.82	21	100301	1.55
3	100249	0.85	22	100665	1.60
4	100283	0.90	23	100239	1.65
5	100280	0.93	24	100288	1.70
6	100282	0.95	25	103190	1.74
7	100284	1.00	26	100878	1.75
8	100662	1.05	27	100289	1.80
9	100877	1.07	28	100302	1.85
10	100285	1.10	29	100290	1.90
11	100243	1.12	30	100740	1.95
12	100663	1.15	31	100291	2.00
13	100306	1.20	32	100303	2.05
14	100975	1.25	33	100292	2.10
15	100286	1.30	34	100744	2.12
16	100300	1.35	35	100308	2.15
17	100669	1.37	36	100293	2.20
18	100307	1.40	37	100309	2.30
19	100287	1.45	38	100668	2.35
			39	100294	2.40
			40	100749	2.45
			41	100326	2.50
			42	100416	2.55
			43	100304	2.60
			44	100295	2.70
			45	106329	2.80
			46	100305	3.00
			47	106281	3.10
			48	100752	3.20
			49	100296	3.30
			50	100297	3.45
			51	100298	3.50
			52	100299	3.70
			53	100763	3.80
			54	102794	3.85
			55	100762	4.10
			56	106308	2.90
			57	107685	4.5

gas nozzles M13x1

CUPPONE, NAYATI, PALUX, UNIVERSO, ZANUSSI




technical data:
thread size M13x1
wrench size 13

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	102915	0.85	9	102823	1.35
2	102824	1	10	102782	1.45
3	102787	1.05	11	107462	1.5
4	107474	1.1	12	102784	1.55
5	102780	1.15	13	100108	1.6
6	102786	1.2	14	102825	1.65
7	107338	1.25	15	107684	1.7
8	102828	1.3	16	102788	1.75
			17	102783	1.8
			18	107475	1.85
			19	100389	1.9
			20	102781	1.95
			21	102470	2
			22	107339	2.05
			23	100417	2.15
			24	103250	2.2

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
25	109108	2.2	33	107477	2.7
26	107476	2.25	34	100710	2.85
27	102471	2.3	35	100722	2.95
28	107340	2.4	36	107569	3
29	102789	2.45	37	100866	3.1
30	102790	2.55	38	107570	3.2
31	107463	2.6	39	107478	3.25
32	102785	2.65	40	103200	3.3
			41	107571	3.35
			42	100923	3.4
			43	106272	3.55
			44	106273	3.7
			45	106274	3.75
			46	106275	3.8
			47	103251	4
			48	106276	4.1

gas nozzles M14x1

FAGOR




technical data:
thread size M14x1
wrench size 17

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	109450	2.05	4	109457	2.55
2	109452	2.2	5	109462	3.05
3	109455	2.45	6	109463	3.1
			7	109465	3.65
			8	109468	3.8
			9	109470	3.9

gas nozzles M15x1

JUNO, KÜPPERSBUSCH, MKN, PALUX



technical data:
thread size M15x1
wrench size 17

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	106579	0.75	9	100338	2.10
2	106578	1.00	10	100330	2.20
3	106970	1.30	11	100333	2.30
4	103131	1.35	12	100456	2.50
5	100451	1.50	13	100457	2.60
6	100337	1.60	14	100331	2.70
7	103132	1.85	15	100698	3.00
8	100453	2.00	16	106961	3.10
			17	100339	3.40
			18	100334	3.50
			19	100406	3.70
			20	100332	3.80
			21	100335	3.90
			22	100336	4.00
			23	100329	4.40

gas nozzles M16x1.5

KROLL



technical data:
thread size M16x1.5
wrench size 17

fig.	ø (mm)
1	100791
	1.6

gas nozzles (other)

FAGOR



fig.	ø (mm)	fig.	ø (mm)	fig.	ø (mm)			
1	1.65	1	109485	2.85	1	109496	4.5	
1	109477	2.2	1	109488	3	2	109497	2.2
1	109480	2.5	1	109492	3.5			

FALCON



fig.	TS	code	ø (mm)	WS	
1	109162	1/2" UNEF	-	3.2	15
2	109145	1/2" UNEF	20	0.4	6/17
2	109163	1/2" UNEF	380	1.7	6/17
3	107436	No.12 UNF	20	0.4	6
3	107458	No.12 UNF	140	1.05	6
3	107312	No.12 UNF	210	1.3	6
3	107433	No.12 UNF	400	1.74	6

FOEM



fig.	T1:	T2:	WS	ø (mm)	
1	101940	M12x1	-	-	0.95
1	100375	M12x1.5	-	-	1.35
1	100374	M12x1.5	-	-	2.4
2	106812	M14x1	M10x0.75	14	0.6
2	100372	M14x1	M10x0.75	14	0.9
2	100373	M14x1	M10x0.75	14	1.05
2	100370	M14x1	M10x0.75	14	1.65
2	100371	M14x1	M10x0.75	14	2.2

GARLAND



pos.	code	ø (mm)	
1	107371	52	1.6

IMPERIAL USA



technical data:
thread size 9/16" UNF
wrench size 9/16"

pos.	code	ø (mm)	pos.	code	ø (mm)	
1	102535	36	2	102529	51	1.6

PITCO



fig.	TS	WS	ø (mm)	
1	109192	1/4" NPT	17	1.15
2	109193	5/16" UNEF	9.5	2.44

POTIS, NAOMI GRILLS, MELTEM



pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	100611	0.59	3	100612	1.05	5	101541	1.53
2	100613	0.81	4	100614	1.45			

RST-FIAMMA



pos.	T1:	T2:	WS	ø (mm)	
1	106582	1/4"	1/8"	17	0.9

ZANUSSI



pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	106824	0.4	12	100580	1.25	23	100572	1.85
2	100588	0.6	13	100579	1.3	24	100593	1.9
3	100586	0.7	14	100583	1.35	25	102865	1.95
4	100577	0.8	15	100574	1.4	26	100561	2
5	100567	0.85	16	100573	1.45	27	100595	2.05
6	100568	0.9	17	100564	1.5	28	100576	2.1
7	100569	0.95	18	100578	1.55	29	100562	2.15
8	100565	1.05	19	100581	1.65	30	100563	2.2
9	100587	1.1	20	100591	1.7	31	100585	2.3
10	100582	1.15	21	100570	1.75	32	100596	2.4
11	100575	1.2	22	100571	1.8	33	100594	2.5

Table continues overleaf



pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)	
34	100592	2.7	36	100589	3.2	
35	103180	2.85	37	100590	3.6	
				38	100584	3.8
				39	107542	5.5

fig.	gas type	ø (mm)	gas pressure (mbar)
2	102514	LPG	0.16
2	102793	LPG	0.23
2	100215	NG	0.28
2	102515	NG	0.28
2	102792	NG	0.35

pilot burner nozzles

pilot burner nozzle AB



fig.	gas type	code	Qty (pcs)	fig.	gas type	code	Qty (pcs)
1	102740	LPG	20	1	102740	LPG	20
1	102742	LPG	25	1	102742	LPG	25
1	106919	LPG	25	5	106919	LPG	25
1	102741	NG	35	1	102741	NG	35
2	106781	LPG	20	1	106781	LPG	20
2	106237	NG/LPG	25	1	106237	NG/LPG	25
3	106920	LPG	20	5	106920	LPG	20

pilot burner nozzles GAI



fig.	gas type	TS	WS	
1	107329	LPG	M4.5x0.5	4
1	107330	NG	M4.5x0.5	4

pilot burner nozzles HONEYWELL
for series Q3480, Q3481, Q348, Q179, Q327



fig.	gas type	code	fig.	gas type	code		
1	102891	LPG	KR14	2	107496	NG	NE22



fig.	gas type	code	Qty (pcs)	fig.	gas type	code	Qty (pcs)
4	100789	LPG	21	1	100790	NG	35

for series Q349



fig.	gas type	fig.	gas type	fig.	gas type	
1	102889	LPG	1	102888	NG	
				2	106938	NG

pilot burner nozzles AEM



fig.	gas type	ø (mm)	fig.	gas type	ø (mm)		
1	106385	LPG	0.22	2	106427	NG/LPG	0.3
1	106429	NG	0.35	2	109126	NG	0.4
2	106428	LPG	0.25				

pilot burner nozzles JUNKERS

CB 50203_/503_ series



fig.	gas type	gas pressure (mbar)	code	Qty (pcs)	
1	100221	LPG	30	29	1
1	102521	LPG	30	29	10
1	100225	LPG	30	39	1
1	102525	LPG	30	39	10
1	100220	LPG	50	2	1
1	102520	LPG	50	2	10
1	100222	LPG	50	5	1
1	102522	LPG	50	5	10
1	102523	NG	15	3	10
1	100223	NG	20	3	1
1	100227	NG	25	6	1
1	102527	NG	25	6	10
1	100224	NG	25	26	1
1	102524	NG	25	26	10
1	100228	town gas	8	4	1
1	102528	town gas	8	4	10

pilot burner nozzles EGA



fig.	gas type	ø (mm)	gas pressure (mbar)	
1	100622	0		
1	101849	LPG	0.16	50
1	101589	LPG	0.18	50
1	101534	LPG	0.19	50
1	100235	LPG	0.2	50
1	101864	LPG	0.24	30
1	100979	LPG	0.25	30
1	101543	NG	0.3	20
1	101588	NG	0.32	20
1	100236	NG	0.35	20
1	101865	NG	0.41	20
1	101535	town gas	0.6	
2	100214	LPG	0.16	

CB 503_ series (without primary air)



fig.	gas type	gas pressure (mbar)	code	L (mm)	Qty (pcs)
1	LPG	50	10	20	1
1	LPG	50	10	20	10
1	NG	15	6	23	1
1	NG	15	6	23	10
1	NG	25	23	26	1
1	NG	25	23	26	10

CB 5050_ series



fig.	gas type	gas pressure (mbar)	code	Qty (pcs)
1	LPG	30	3	1
1	LPG	30	3	10
1	LPG	50	2	1
1	LPG	50	2	10
1	LPG	50	8	1
1	LPG	50	8	10
1	NG	20	14	1
1	NG	20	14	10
1	NG	25	4	1
1	NG	25	4	10
1	NG	25	9	1
1	NG	25	9	10

CB 5051_ series



fig.	gas type	code	L (mm)	Qty (pcs)
1	LPG	42	16	1
1	LPG	42	16	10
1	NG	44	16	1
1	NG	44	16	10
1	NG	45	16	1
1	NG	45	16	10
1	NG	48	16	1
1	NG	48	16	10
2	LPG	46	16	1
2	LPG	46	16	10
2	LPG	49	16	1
2	NG	52	16	1

pilot burner nozzles POLIDORO



fig.	gas type	code	Qty (pcs)
1	LPG	20	1
1	LPG	20	5
1	LPG	22	1
1	LPG	24	1
1	LPG	16.2	1
1	LPG	16.2	5
1	LPG	38-R	1
1	NG	40	1
1	NG	25.2	1
1	NG	27.2	1
1	NG	27.2A	1
1	NG	29.2	1

pilot burner nozzles ROBERTSHAW



fig.	gas type	code	fig.	gas type	code
1	LPG	10	2	NG	18
2	LPG	11	2	NG	22
2	LPG	14	2	NG	26
2	LPG	16			

pilot burner nozzles SIT

100 series



fig.	gas type	ø (mm)	Qty (pcs)
1	LPG	0.2	1
1	LPG	0.2	5
1	NG	0.35	1
1	NG	0.35	1
1	NG	0.35	5
1	NG	0.4	1
1	NG	0.45	1
1	NG/LPG	0.25	1
2	LPG	0.2	1
2	LPG	0.2	5
2	NG	0.3	1
2	NG	0.3	5
3	LPG	0.21	1
3	LPG	0.21	5
3	NG	0.35	1
3	NG	0.35	5



140/150 series					
fig.	gas type	code	ø (mm)	Qty (pcs)	
1	100204	LPG	14	0.18/0.20	1
1	102604	LPG	14	0.18/0.20	5
1	100205	LPG	19	0.23/0.26	1
1	102605	LPG	19	0.23/0.26	5
1	100765	LPG	20	0.35	1
1	102799	LPG	20	0.35	5
1	100207	NG	27	0.40/0.38	1
1	102607	NG	27	0.40/0.38	5
1	107286	NG	30	0.60/0.40	1
1	100206	NG	36	0.60/0.55	1
1	102606	NG	36	0.60/0.55	5
1	106761	NG	37	0.55	1
1	100216	NG	38	0.45	1
1	102516	NG	38	0.45	5

160 series									
fig.	gas type	code	Qty (pcs)	fig.	gas type	code	Qty (pcs)		
1	107649	LPG	20	1	1	107174	NG	41	1
1	107172	LPG	25	1	1	102686	NG	45	1
1	107650	LPG	30	1	1	107175	NG	51	1
1	107173	NG	35	1	2	107255	NG	51	1

pilot burner nozzles (other)

AMBACH							
fig.	ø (mm)	Qty (pcs)	fig.	ø (mm)	Qty (pcs)		
1	100255	0.2	1	1	103209	0.37	1
1	102555	0.2	5	1	100256	0.4	1
1	102770	0.25	1	1	102556	0.4	5
1	106748	0.3	1	1	106749	0.45	1
1	100252	0.35	1	1	106750	0.6	1
1	102552	0.35	5	1	107351	0.8	1

technical data:
wrench size 12
thread size 1 M10x1
thread size 2 M10x0.75

ANGELO PO							
fig.	gas type	code	fig.	gas type	code		
1	100253	LPG	2	1	100241	NG	13
1	100240	LPG	39				

FAGOR		
pos.	ø (mm)	
1	109471	0.2

GARLAND							
pos.	gas type	code	pos.	gas type	code		
1	107369	LPG	012	2	107370	NG	020

MBM ITALY							
fig.	ø (mm)	Qty (pcs)	fig.	ø (mm)	Qty (pcs)		
1	107167	0.21	1	1	107168	0.35	1
1	107212	0.21	5	1	107213	0.35	5

MKN								
fig.	ø (mm)	fig.	ø (mm)	fig.	ø (mm)			
1	100269	0.2	1	106988	0.25	1	106228	0.6
1	100270	0.2	1	100271	0.3			
1	101896	0.22	1	100272	0.35			

SOLYMAC/CAPIC					
fig.	ø (mm)	fig.	ø (mm)		
1	107244	0.2	1	106429	0.35
1	106385	0.22	1	106386	0.4

bypass nozzles

bypass nozzles COPRECI							
fig.	ø (mm)	TS	fig.	ø (mm)	TS		
1	109413	0.9	M8x0.75	3	109195	1.3	M8x0.75
2	107441	1	M5x0.5				



bypass nozzles PEL20/21



technical data:
thread size M5x0.5

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	106202	0	12	100278	0.75
2	106323	0.2	13	100555	0.8
3	100778	0.3	14	100527	0.85
4	100408	0.35	15	100528	0.9
5	100553	0.4	16	100556	0.95
6	100554	0.45	17	100529	1
7	100526	0.5	18	100557	1.05
8	100550	0.55	19	100530	1.1
9	100551	0.6	20	100531	1.15
10	100548	0.65	21	100532	1.2
11	100552	0.7	22	100394	1.25
			23	100418	1.25
			24	100533	1.3
			25	100549	1.35
			26	100534	1.4
			27	100558	1.55
			28	106608	1.6
			29	100559	1.7
			30	100547	1.75
			31	106871	2.2
			32	107524	2.5
			33	107686	2.0

bypass nozzles PEL22



technical data:
thread size M6x0.5

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	106191	0	10	100432	0.75
2	100259	0.35	11	100409	0.8
3	100281	0.4	12	100410	0.85
4	100414	0.45	13	100433	0.9
5	100390	0.5	14	100434	0.95
6	100391	0.55	15	100407	1
7	100392	0.6	16	100435	1.05
8	100428	0.65	17	100436	1.1
9	100429	0.7	18	100437	1.15
			19	100438	1.2
			20	102974	1.25
			21	106499	1.3
			22	106870	1.35
			23	100413	1.65
			24	106309	1.7
			25	100776	1.75
			26	106656	1.8

bypass nozzles PEL23/24



technical data:
thread size M8x0.5

pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	106201	0	13	100627	1
2	100455	0.35	14	100628	1.05
3	106235	0.4	15	100649	1.1
4	100448	0.5	16	100655	1.15
5	100458	0.6	17	100659	1.2
6	100459	0.65	18	100664	1.25
7	100493	0.7	19	100666	1.3
8	100494	0.75	20	100667	1.35
9	100497	0.8	21	100674	1.4
10	100546	0.85	22	103235	1.4
11	100597	0.9	23	100677	1.45
12	100598	0.95	24	100679	1.5
			25	100699	1.55
			26	100250	1.6
			27	100251	1.65
			28	100263	1.7
			29	100264	1.75
			30	100265	1.8
			31	100266	1.85
			32	100267	1.9
			33	100268	1.95
			34	100273	2
			35	106393	2.75
			36	106760	2.8

bypass nozzles SABAF



technical data:
thread size M4x0.5

fig.	ø (mm)	fig.	ø (mm)	fig.	ø (mm)			
1	106730	0.3	1	106586	0.5	1	106587	0.8
1	107151	0.45	1	106661	0.54	1	106660	0.85

internal nozzles

internal nozzles for EGA gas taps/nozzle holders

EGA 24197/24362



pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	100811	0	9	100341	1.15
2	100377	0.65	10	100344	1.2
3	100496	0.73	11	100647	1.3
4	100378	0.77	12	100648	1.35
5	100492	0.8	13	100342	1.4
6	100340	0.85	14	100656	1.6
7	100343	1	15	100658	1.8
8	100495	1.05	16	100323	1.85
			17	100345	1.9
			18	107501	2
			19	100324	2.1
			20	100327	2.35
			21	100398	2.5
			22	107502	2.7
			23	107549	2.9

EGA 26400/26440/23268



pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)
1	107006	0.40	10	100315	0.95
2	100657	0.60	11	100312	1.05
3	100310	0.66	12	106757	1.15
4	107007	0.70	13	100313	1.20
5	100319	0.75	14	106510	1.30
6	100393	0.78	15	100238	1.35
7	100311	0.80	16	100322	1.40
8	100624	0.85	17	100773	1.55
9	100321	0.90	18	100318	1.60
			19	100316	1.70
			20	100951	1.75
			21	100244	1.85
			22	100314	1.90
			23	100274	2.00
			24	100317	2.20
			25	100678	2.50
			26	106860	2.60
			27	106861	2.70

EGA 26440



fig.	ø (mm)	fig.	ø (mm)	fig.	ø (mm)			
1	100395 ¹	1.4	1	100396 ²	1.8	1	100397 ³	2.05

¹suitable for 101735 and 101653 ²suitable for 101736 and 101654 ³suitable for 101737 and 101655

internal nozzles for gas tap MADEC



pos.	ø (mm)	pos.	ø (mm)	pos.	ø (mm)			
1	100419	0.75	3	100774	0.85	5	100449	1
2	100421	0.8	4	100788	0.95	6	100422	1.2

Table continues overleaf

INTERNAL NOZZLES/BURNER NOZZLES/CHOKES



pos.	ø (mm)	pos.	ø (mm)		
7	100772	1.3	9	100771	1.55
8	100423	1.4	10	100770	1.65

accessories



pos.	description
1	106969 adjusting screw for conical sealing systems
2	101594 adjusting screw for internal nozzle M10x0,75
3	101593 adjusting screw for internal nozzle M8x0,75

burner nozzles



fig.	description	suitable for
1	100412 burner nozzle 1/8" 4 slits for flame spreader	—
2	100411 burner nozzle H 36mm ø 16mm 1/8" for flame spreader suitable for JUNKERS	—



fig.	description	suitable for
3	102897 burner nozzle LPG	Capic
3	102896 burner nozzle natural gas	Capic Thirode
3	102898 burner nozzle natural gas type F111	Morice
4	102899 burner nozzle LPG code BP148 type F111	Morice



fig.	description	suitable for
5	102901 burner nozzle LPG code BP74 type F74	—
5	102900 burner nozzle natural gas code M100 type F74	—

chokes

AB



fig.	gas inlet	gas outlet
1	107801 1/8"x27 NPT (tube ø 5mm)	3/8"x24 UNF (tube ø 3/16" CC)
1	107802 1/8"x27 NPT (tube ø 5mm)	7/16"x24 UNS (tube ø 1/4" CC)
2	107806 1/8"x27 NPT (tube ø 5.4mm)	3/8"x24 UNF (tube ø 3/16" CC)
2	107807 1/8"x27 NPT (tube ø 5.4mm)	7/16"x24 UNS (tube ø 1/4" CC)
3	107804 1/8"x27 NPT (tube ø 5.4mm)	2x 3/8"x24 UNF (tube ø 3/16" CC)
3	107805 1/8"x27 NPT (tube ø 5.4mm)	2x 7/16"x24 UNS (tube ø 1/4" CC)